

4 Port High Speed HDMI® Video Splitter w/ Audio

StarTech ID: ST124HDMI2



The ST124HDMI2 4 Port High Speed HDMI® Video Splitter with Audio lets you share a single HDMI source with up to 4 HDMI or DVI-D displays/receivers, without sacrificing image or sound quality.

Supporting true HD video resolutions up to 1080p, this HDMI splitter allows you to situate your HDMI-capable displays up to 16ft (5m) away from the splitter. This versatile HDMI splitter features 3.5mm audio input and output connections giving you the option of sending your accompanying audio signal through the HDMI cable or through a separate 3.5mm stereo audio channel.

A perfect addition to virtually any application requiring the high quality video delivered by HDMI devices, the ST124HDMI2 video splitter is easy to install and provides flawless, distortion-free digital video.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Applications and Solutions

- Connect HDMI enabled projectors, monitors, plasma screens, commercial billboards, and wall display systems
- Perfect for classrooms and business multimedia presentations
- Ideal for business conference rooms and trade show displays
- Great for digital signage applications displaying video advertisements with audio in retail environments
- Display information in waiting rooms or to patients in healthcare facilities
- Financial applications include stock tickers or promotion of new products/services

Features

- Supports video and audio
- Cascade up to 3 layers
- High Speed HDMI Compliant
- Splits a single HDMI source to up to 4 HDMI devices without signal loss
- Supports a wide range of PC and Supports HDTV resolutions from VGA to WUXGA and 480p to 1080p
- Supports HDCP and EDID
- LED Power/Active indicator for monitoring each port
- Quick and easy install
- Audio signal can be output through HDMI or using separate 3.5mm audio outputs
- Passes DVI video signals, DVI to HDMI adapters/cables required - not included

Technical Specifications

- Warranty: 2 Years
- Product Height: 1.73 in [44 mm]
- Humidity: 0%~80%
- Input Current: 0.8A
- LED Indicators: 1 - Power (Green) / Input Signal (Blue)
- LED Indicators: Green Port signal indicator
- Product Length: 8.66 in [220 mm]
- Maximum Cable Length: 16.4 ft [5 m]
- Maximum Digital Resolutions: HDTV 1080p / PC 1920x1200
- Operating Temperature: 0°C to 40°C (32°F to 104°F)
- Output Current: 1.5A
- Carton Quantity: 6
- Industry Standards: High Speed HDMI (1.3), HDCP, EDID
- Storage Temperature: -20°C to 60°C (-4°F to 140°F)
- Supported Resolutions: 1080p (1920 x 1080) / VGA (640 x 480) / SXGA (1280 x 1024) / UXGA (1600 x 1200) / WUXGA (1920 x 1200)
- Shipping (Package) Weight: 3.48 lb [1.57 kg]
- Product Weight: 37.91 oz [1074 g]
- Product Width: 5.31 in [135 mm]

